

Oud an Nivea la ani

Analytical Laboratory

13339 Hagers Ferry Road Huntersville, NC 28078-7929 McGuire Nuclear Complex - MG03A2 Phone: 980-875-5245 Fax: 980-875-4349

Order Summary Report

| Order Number: | J11100274 | | | |
|--------------------------------------|---|--------------|--------------|------------|
| Customer Name(s): | Bill Kennedy, Melonie Martin, Wayne | e Chapman, T | Гот Johnson | |
| Customer Address: | 3195 Pine Hall Rd Mailcode: Belews Steam Station Belews Creek, NC 28012 | | | |
| Lab Contact: | Jason C Perkins | Phone: | 980-875-5348 | |
| Report Authorized By: (Signature) | | Date | : | 10/28/2011 |

Program Comments:

Please contact the Program Manager (Jason C Perkins) with any questions regarding this report.

144400074

Data Flags & Calculations:

Any analytical tests or individual analytes within a test flagged with a Qualifier indicate a deviation from the method quality system or quality control requirement. The qualifier description is found at the end of the Certificate of Analysis (sample results) under the qualifiers heading. All results are reported on a dry weight basis unless otherwise noted.

Data Package:

This data package includes analytical results that are applicable only to the samples described in this narrative. An estimation of the uncertainty of measurement for the results in the report is available upon request. This report shall not be reproduced, except in full, without the written consent of the Analytical Laboratory. Please contact the Analytical laboratory with any questions. The order of individual sections within this report is as follows:

Job Summary Report, Sample Identification, Technical Validation of Data Package, Analytical Laboratory Certificate of Analysis, Analytical Laboratory QC Reports, Sub-contracted Laboratory Results, Customer Specific Data Sheets, Reports & Documentation, Customer Database Entries, Test Case Narratives, Chain of Custody (COC)

Certification:

The Analytical Laboratory holds the following State Certifications: North Carolina (DENR) Certificate #248, South Carolina (DHEC) Laboratory ID # 99005. Contact the Analytical Laboratory for definitive information about the certification status of specific methods.

Sample ID's & Descriptions:

Page 2 of 32

| Sample ID | Plant/Station | Collection Date and Time | Collected By | Sample Description |
|-----------------|---------------|-----------------------------|-----------------|-------------------------|
| 2011022619 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | FGD Purge Eff |
| 2011022620 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | BIOREACTOR 1 INF. |
| 2011022621 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | BIOREACTOR 1 INF. BLANK |
| 2011022622 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | BIOREACTOR 2 EFF. |
| 2011022623 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | BIOREACTOR 2 EFF. BLANK |
| 2011022624 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | FILTER BLANK |
| 2011022625 | BELEWS | 13-Oct-11 10:30 AM | TRAVIS THORNTON | Trip Blank |
| 7 Total Samples | | | | |

Checklist:

Reviewed By:

DataBase Administrator

| COC and .pdf report are in agreement with sample and analyses (compliance programs and procedure | | ✓ Yes | No |
|--|---------------------|-----------------|----------------------------------|
| All Results are less than the laboratory reporting lin | nits. | Yes | ✓ No |
| All laboratory QA/QC requirements are acceptable. | | ✓ Yes | □ No |
| The Vendor Laboratories have been qualified by the Analytical Laboratory | е | Yes | |
| Report Sections Included: | | | |
| ✓ Job Summary Report | ✓ Sub-contr | acted Laborate | ory Results |
| ✓ Sample Identification | ☐ Customer | Specific Data | Sheets, Reports, & Documentation |
| ✓ Technical Validation of Data Package | ☐ Customer | Database Ent | ries |
| ✓ Analytical Laboratory Certificate of Analysis | ✓ Chain of C | Custody | |
| ☐ Analytical Laboratory QC Report | ✓ Electronic | : Data Delivera | able (EDD) Sent Separately |
| | | | |
| | | | |
| | | | |

Date:

10/28/2011

This report shall not be reproduced, except in full.

Order # J11100274

Site: FGD Purge Eff Sample #: 2011022619

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|----------------------------------|---------------|--------|------------|------|-----------|--------------------|---------|
| Carbonate, Bicarbonate, and Hy | ydroxide Alka | linity | | | | | |
| Hydroxide (OH) | Complet | te | | | V_PRISM | | |
| Bicarbonate (HCO3) | Complet | te | | | V_PRISM | | |
| Carbonate (CO3) | Complet | te | | | V_PRISM | | |
| NITRITE + NITRATE (COLORIMI | ETRIC) | | | | | | |
| Nitrite + Nitrate (Colorimetric) | 18 | mg-N/L | | 0.25 | EPA 353.2 | 18-Oct-11 13:18 | BGN9034 |
| INORGANIC IONS BY IC | | | | | | | |
| Bromide | 100 | mg/L | | 5 | EPA 300.0 | 24-Oct-11 16:34 | JAHERMA |
| Chloride | 6800 | mg/L | | 200 | EPA 300.0 | 24-Oct-11 16:34 | JAHERMA |
| Sulfate | 1100 | mg/L | | 200 | EPA 300.0 | 24-Oct-11 16:34 | JAHERMA |
| MERCURY (COLD VAPOR) IN W | /ATER | | | | | | |
| Mercury (Hg) | 287 | ug/L | | 5 | EPA 245.1 | 21-Oct-11 10:17 | AGIBBS |
| Mercury Dissolved (cold vapor) | in Water (Fil | tered) | | | | | |
| Mercury (Hg) | 26.6 | ug/L | | 2.5 | EPA 245.1 | 28-Oct-11 09:58 | AGIBBS |
| TOTAL RECOVERABLE METAL | S BY ICP | | | | | | |
| Boron (B) | 174 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| Calcium (Ca) | 4060 | mg/L | | 0.1 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| Lithium (Li) | 0.139 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| Magnesium (Mg) | 620 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| Potassium (K) | 50.7 | mg/L | | 1 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| Sodium (Na) | 42.1 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:50 | DJSULL1 |
| DISSOLVED METALS BY ICP-M | <u>IS</u> | | | | | | |
| Selenium (Se) | 1490 | ug/L | | 10 | EPA 200.8 | 20-Oct-11 11:59 | KRICHAR |
| TOTAL RECOVERABLE METAL | S BY ICP-MS | | | | | | |
| Arsenic (As) | 162 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Cadmium (Cd) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Chromium (Cr) | 225 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Copper (Cu) | 124 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Nickel (Ni) | 182 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Selenium (Se) | 5320 | ug/L | | 20 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Silver (Ag) | 92.2 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| Zinc (Zn) | 238 | ug/L | | 20 | EPA 200.8 | 24-Oct-11 11:35 | KRICHAR |
| SELENIUM SPECIATION | | | | | | | |
| Vendor Parameter | Complet | te | | | V_AS&C | | |
| | - | | | | | | |

This report shall not be reproduced, except in full.

Order # J11100274

Site: FGD Purge Eff Sample #: 2011022619

Collection Date: 13-Oct-11 10:30 AM Matrix: OTHER

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|----------------------------|--------|-------|------------|-----|---------|--------------------|---------|
| TOTAL DISSOLVED SOLIDS TDS | 17000 | mg/L | | 200 | SM2540C | 19-Oct-11 13:25 | TJA7067 |
| TOTAL SUSPENDED SOLIDS TSS | 2300 | mg/L | | 250 | SM2540D | 19-Oct-11 07:55 | TJA7067 |

Site: BIOREACTOR 1 INF. Sample #: 2011022620

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|-----------------------------------|--------------|--------|------------|------|-----------|--------------------|---------|
| Carbonate, Bicarbonate, and Hydro | oxide Alkali | nity | | | | | |
| Bicarbonate (HCO3) | Complete | | | | V_PRISM | | |
| Carbonate (CO3) | Complete | | | | V_PRISM | | |
| Hydroxide (OH) | Complete | | | | V_PRISM | | |
| NITRITE + NITRATE (COLORIMETR | RIC) | | | | | | |
| Nitrite + Nitrate (Colorimetric) | 17 | mg-N/L | | 0.25 | EPA 353.2 | 18-Oct-11 13:19 | BGN9034 |
| INORGANIC IONS BY IC | | | | | | | |
| Bromide | 95 | mg/L | | 5 | EPA 300.0 | 24-Oct-11 13:40 | JAHERMA |
| Chloride | 4500 | mg/L | | 100 | EPA 300.0 | 24-Oct-11 13:40 | JAHERMA |
| Sulfate | 800 | mg/L | | 100 | EPA 300.0 | 24-Oct-11 13:40 | JAHERMA |
| MERCURY 1631 | | | | | | | |
| Vendor Parameter | Complete | | | | V_BRAND | | |
| MERCURY (COLD VAPOR) IN WAT | <u>ER</u> | | | | | | |
| Mercury (Hg) | 37.9 | ug/L | | 2.5 | EPA 245.1 | 21-Oct-11 10:20 | AGIBBS |
| TOTAL RECOVERABLE METALS B | Y ICP | | | | | | |
| Boron (B) | 163 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |
| Calcium (Ca) | 3510 | mg/L | | 0.1 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |
| Lithium (Li) | 0.050 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |
| Magnesium (Mg) | 561 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |
| Potassium (K) | 22.1 | mg/L | | 1 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |
| Sodium (Na) | 39.9 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:22 | DJSULL1 |

This report shall not be reproduced, except in full.

Order # J11100274

Site: BIOREACTOR 1 INF.

Collection Date: 13-Oct-11 10:30 AM

Matrix: OTHER

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|-----------------------|---------------|-------|------------|-----|-----------|--------------------|---------|
| TOTAL RECOVERABLE MET | ALS BY ICP-MS | | | | | | |
| Arsenic (As) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Cadmium (Cd) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Chromium (Cr) | 12.1 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Copper (Cu) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Nickel (Ni) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Selenium (Se) | 1150 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Silver (Ag) | 35.7 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| Zinc (Zn) | < 20 | ug/L | | 20 | EPA 200.8 | 24-Oct-11 10:52 | KRICHAR |
| SELENIUM SPECIATION | | | | | | | |
| Vendor Parameter | Complete | • | | | V_AS&C | | |

Site: BIOREACTOR 1 INF. BLANK

Sample #: 2011022621

Collection Date: 13-Oct-11 10:30 AM Matrix: OTHER

Analyte Result Units Qualifiers RDL Method Analysis Date/Time Analyst

MERCURY 1631

Vendor Parameter Complete V_BRAND

Site: BIOREACTOR 2 EFF. Sample #: 2011022622

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|----------------------------------|--------------|--------------|------------|------|-----------|--------------------|---------|
| Carbonate, Bicarbonate, and Hyd | roxide Alkal | <u>inity</u> | | | | | |
| Bicarbonate (HCO3) | Complete |) | | | V_PRISM | | |
| Carbonate (CO3) | Complete |) | | | V_PRISM | | |
| Hydroxide (OH) | Complete | • | | | V_PRISM | | |
| NITRITE + NITRATE (COLORIMET | TRIC) | | | | | | |
| Nitrite + Nitrate (Colorimetric) | < 0.01 | mg-N/L | | 0.01 | EPA 353.2 | 18-Oct-11 13:15 | BGN9034 |
| INORGANIC IONS BY IC | | | | | | | |
| Bromide | 91 | mg/L | | 5 | EPA 300.0 | 24-Oct-11 13:56 | JAHERMA |
| Chloride | 6700 | mg/L | | 100 | EPA 300.0 | 24-Oct-11 13:56 | JAHERMA |
| Sulfate | 1400 | mg/L | | 100 | EPA 300.0 | 24-Oct-11 13:56 | JAHERMA |
| MERCURY 1631 | | | | | | | |
| Vendor Parameter | Complete | • | | | V_BRAND | | |
| MERCURY (COLD VAPOR) IN WA | TER | | | | | | |
| Mercury (Hg) | < 1 | ug/L | | 1 | EPA 245.1 | 21-Oct-11 10:39 | AGIBBS |

This report shall not be reproduced, except in full.

Order # J11100274

Site: BIOREACTOR 2 EFF. Sample #: 2011022622

Collection Date: 13-Oct-11 10:30 AM Matrix: OTHER

| | 11 10.00 / 111 | | | | Wattix. | OTHER | |
|-------------------------|-----------------|-------|------------|------|-----------|--------------------|---------|
| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
| TOTAL RECOVERABLE ME | ETALS BY ICP | | | | | | |
| Boron (B) | 151 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| Calcium (Ca) | 3430 | mg/L | | 0.1 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| Lithium (Li) | < 0.05 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| Magnesium (Mg) | 532 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| Potassium (K) | 27.7 | mg/L | | 1 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| Sodium (Na) | 39.4 | mg/L | | 0.5 | EPA 200.7 | 25-Oct-11 13:11 | DJSULL1 |
| TOTAL RECOVERABLE ME | ETALS BY ICP-MS | | | | | | |
| Arsenic (As) | < 5 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Cadmium (Cd) | < 5 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Chromium (Cr) | < 5 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Copper (Cu) | < 5 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Nickel (Ni) | < 5 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Selenium (Se) | 5.46 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Silver (Ag) | 14.4 | ug/L | | 5 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| Zinc (Zn) | < 10 | ug/L | | 10 | EPA 200.8 | 24-Oct-11 10:55 | KRICHAR |
| SELENIUM SPECIATION | | | | | | | |
| Vendor Parameter | Complet | e | | | V_AS&C | | |
| Site: BIOREACTOR | 2 EFF. BLANK | | | | Sample #: | 2011022623 | |
| Collection Date: 42 Oct | | | | | Matrix | OTHER | |

Collection Date: 13-Oct-11 10:30 AM Matrix: OTHER

Analyte Result Units Qualifiers RDL Method Analysis Date/Time Analyst

MERCURY 1631

Vendor Parameter Complete V_BRAND

Site: FILTER BLANK Sample #: 2011022624

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst | |
|----------------------------|--------|-------|------------|-----|-----------|--------------------|---------|--|
| DISSOLVED METALS BY ICP-MS | | | | | | | | |
| Selenium (Se) | 4 93 | ua/l | | 1 | FPA 200 8 | 20-Oct-11 11:39 | KRICHAR | |

This report shall not be reproduced, except in full.

Order # J11100274

Site: Trip Blank Sample #: 2011022625

Collection Date: 13-Oct-11 10:30 AM Matrix: OTHER

| Analyte | Result | Units | Qualifiers | RDL | Method | Analysis Date/Time | Analyst |
|-----------------------|----------------|-------|------------|-------|-----------|--------------------|---------|
| TOTAL RECOVERABLE MET | TALS BY ICP | | | | | | |
| Boron (B) | < 0.05 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| Calcium (Ca) | 0.012 | mg/L | | 0.01 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| Lithium (Li) | < 0.005 | mg/L | | 0.005 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| Magnesium (Mg) | < 0.005 | mg/L | | 0.005 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| Potassium (K) | < 0.1 | mg/L | | 0.1 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| Sodium (Na) | < 0.05 | mg/L | | 0.05 | EPA 200.7 | 25-Oct-11 12:56 | DJSULL1 |
| TOTAL RECOVERABLE MET | TALS BY ICP-MS | | | | | | |
| Arsenic (As) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Cadmium (Cd) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Chromium (Cr) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Copper (Cu) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Nickel (Ni) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Selenium (Se) | 5.16 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Silver (Ag) | < 1 | ug/L | | 1 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| Zinc (Zn) | < 2 | ug/L | | 2 | EPA 200.8 | 24-Oct-11 10:18 | KRICHAR |
| SELENIUM SPECIATION | | | | | | | |
| Vendor Parameter | Complete | e | | | V AS&C | | |

Complete



NC Certification No. 402 SC Certification No. 99012 NC Drinking Water Cert No. 37735 Case Marrative

10/21/2011

Duke Energy Corporation (04) Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews Creek

Project No.: J11100274

Lab Submittal Date: 10/18/2011 Prism Work Order: 1100460

This data package contains the analytical results for the project identified above and includes a Case Narrative, Sample Results and Chain of Custody. Unless otherwise noted, all samples were received in acceptable condition and processed according to the referenced methods.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative.

Please call if you have any questions relating to this analytical report.

Respectfully,

PRISM LABORATORIES, INC.

VP Laboratory Services

Reviewed By

Data Qualifiers Key Reference:

HT Sample received and analyzed outside of the hold time.

BRL Below Reporting Limit
MDL Method Detection Limit
RPD Relative Percent Difference

* Results reported to the reporting limit. All other results are reported to the MDL with values between MDL and reporting limit indicated with a J.



Sample Receipt Summary

10/21/201

Prism Work Order: 1100460

| Client Sample ID | Lab Sample ID | Matrix | Date Sampled | Date Received |
|-----------------------------|---------------|--------|--------------|---------------|
| 2011022619/FGD Purge Eff | 1100460-01 | Water | 10/13/11 | 10/18/11 |
| 2011022620/BioReactor 1 Inf | 1100460-02 | Water | 10/13/11 | 10/18/11 |
| 2011022622/BioReactor 2 Eff | 1100460-03 | Water | 10/13/11 | 10/18/11 |

Samples received in good condition at 0.7 degrees C unless otherwise noted.



10/21/2011



Duke Energy Corporation (04) Attn: Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews

Creek

Project No.: J11100274 Sample Matrix: Water Client Sample ID: 2011022619/FGD Purge Eff

Prism Sample ID: 1100460-01 Prism Work Order: 1100460 Time Collected: 10/13/11 10:30 Time Submitted: 10/18/11 16:10

| Parameter | Result | Units | Report Limit | MDL | Dilution Factor | Method | Analysis Analyst Date/Time | Batch ID |
|------------------------------|--------|----------|-----------------|-----|--------------------|-------------|-------------------------------|-------------|
| General Chemistry Parameters | | | | | | | | |
| pH | 6.8 HT | pH Units | | | 1 | *SM4500-H B | 10/19/11 13:00 JAB | P1J0356 |
| Total Alkalinity | 53 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0357 |
| Carbonate Alkalinity | BRL | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0358 |
| Bicarbonate Alkalinity | 53 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0359 |



PRISM Full-Service Analytical & Environmental Solutions

Duke Energy Corporation (04) Attn: Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews

Creek

Project No.: J11100274 Sample Matrix: Water Client Sample ID: 2011022620/BioReactor 1 Inf

Prism Sample ID: 1100460-02 Prism Work Order: 1100460 Time Collected: 10/13/11 10:30 Time Submitted: 10/18/11 16:10

| Parameter | Result | Units | Report Limit | MDL | Dilution Factor | Method | Analysis Analyst Date/Time | Batch ID |
|------------------------------|--------|----------|-----------------|-----|--------------------|-------------|-------------------------------|-------------|
| General Chemistry Parameters | | | | | | | | |
| pH | 7.1 HT | pH Units | | | 1 | *SM4500-H B | 10/19/11 13:00 JAB | P1J0356 |
| Total Alkalinity | 39 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0357 |
| Carbonate Alkalinity | BRL | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0358 |
| Bicarbonate Alkalinity | 39 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0359 |



PRISM | Full-Service Analytical & Environmental Solutions

Duke Energy Corporation (04) Attn: Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews

Creek

Project No.: J11100274 Sample Matrix: Water Client Sample ID: 2011022622/BioReactor 2 Eff

Prism Sample ID: 1100460-03 Prism Work Order: 1100460 Time Collected: 10/13/11 10:30 Time Submitted: 10/18/11 16:10

| Parameter | Result Units Report MDL Dilution Method Limit Factor | | | | Method | Analysis Analyst Date/Time | Batch ID | |
|------------------------------|---|----------|-----|-----|--------|-------------------------------|--------------------|---------|
| General Chemistry Parameters | | | | | | | | |
| pH | 7.1 HT | pH Units | | | 1 | *SM4500-H B | 10/19/11 13:00 JAB | P1J0356 |
| Total Alkalinity | 170 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0357 |
| Carbonate Alkalinity | BRL | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0358 |
| Bicarbonate Alkalinity | 170 | mg/L | 5.0 | 1.4 | 1 | *SM2320 B | 10/19/11 10:50 JAB | P1J0359 |



Duke Energy Corporation (04) Attn: Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews

Creek


Project No: J11100274

Prism Work Order: 1100460

Time Submitted: 10/18/2011 4:10:00PM

General Chemistry Parameters - Quality Control

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|-------------------------|--------|-----------|----------|----------|-----------|------------|--------|-----|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P1J0356 - NO PREP | | | | | | | | | | |
| LCS (P1J0356-BS1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| pH | 6.88 | | pH Units | 6.860 | | 100 | 99-101 | | | |
| Batch P1J0357 - NO PREP | | | | | | | | | | |
| Blank (P1J0357-BLK1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Total Alkalinity | BRL | 5.0 | mg/L | | | | | | | |
| LCS (P1J0357-BS1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Total Alkalinity | 255 | 5.0 | mg/L | 250.0 | | 102 | 90-110 | | | |
| LCS Dup (P1J0357-BSD1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Total Alkalinity | 255 | 5.0 | mg/L | 250.0 | | 102 | 90-110 | 0 | 200 | |
| Batch P1J0358 - NO PREP | | | | | | | | | | |
| Blank (P1J0358-BLK1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Carbonate Alkalinity | BRL | 5.0 | mg/L | | | | | | | |
| LCS (P1J0358-BS1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Carbonate Alkalinity | 255 | 5.0 | mg/L | | | | 90-110 | | | |
| LCS Dup (P1J0358-BSD1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Carbonate Alkalinity | 255 | 5.0 | mg/L | | | | 90-110 | 0 | 200 | |
| Batch P1J0359 - NO PREP | | | | | | | | | | |
| Blank (P1J0359-BLK1) | | | | Prepared | & Analyze | d: 10/19/1 | 1 | | | |
| Bicarbonate Alkalinity | BRL | 5.0 | mg/L | | | | | | | |





Duke Energy Corporation (04) Attn: Jay Perkins 13339 Hagers Ferry Road Huntersville, NC 28078 Project: HAPS/MACT Testing Belews

Creek

Project No: J11100274

Prism Work Order: 1100460

Time Submitted: 10/18/2011 4:10:00PM

General Chemistry Parameters - Quality Control

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes | | | |
|-------------------------|-------------------------------|-------------------------------|-------|----------------|------------------|------|----------------|-----|--------------|-------|--|--|--|
| Batch P1J0359 - NO PREP | | | | | | | | | | | | | |
| LCS (P1J0359-BS1) | Prepared & Analyzed: 10/19/11 | | | | | | | | | | | | |
| Bicarbonate Alkalinity | 255 | 5.0 | mg/L | 250.0 | | 102 | 90-110 | | | | | | |
| LCS Dup (P1J0359-BSD1) | | Prepared & Analyzed: 10/19/11 | | | | | | | | | | | |
| Bicarbonate Alkalinity | 255 | 5.0 | mg/L | 250.0 | | 102 | 90-110 | 0 | 200 | | | | |

| | Duke Energy Anal | ytical Laboratory | | | T 7 TO 2 17 17 17 17 17 17 17 17 17 17 17 17 17 | Analytical L | | **** | ry Us | e Oı | ıly | | | | | 10.20 | -1.00 | | ľ |
|--|--|--------------------------------------|--------------------------------|-----------------|---|--|----------------|------------------------------|----------------|----------------------------|----------|-------------|----------------------------|---|--|-----------------------------|--|--------------|-----|
| Duke Energy. | (704) 87 | rs Ferry Rd N. C. 28078 5-5245 | LIMS# | 100a 14 | 7.4 Date & Ti | Matrix: OTI | HEI | 3 | S | ample Iriginal rom | s ing | S | C | Ground Water PDES | D OR | ISTR IIGIN | ge 3名f RIBUTIO IAL to L to CLIE | ON AB, | |
| | MACT Testing lews Creek | 2)Phone No: | | USM | | | | | | Drinki | ig Wat | | (e: | UST RCRA | | | | | |
| 2) Client: Bill Kennedy, F Wayne Chapma | Ron Laws, Allen Stowe, In, Melonie Martin, Tom Johnson | 4)Fax No: | PC |)#14472 | | 16 Prese 2=H ₂ SO 4=Ice | rv.:1= 4 3= | HNO₃ | > | 3 3 | 3 | 3 | 4 | None 4 | 4 | 2,4 | | | |
| 5)Business Unit: | 6)Process: | Mail Code: | | S&C D#1332 | 41 SSS | | <i>"</i> | | | | | | SC | | 1 | | | | |
| 8)Oper. Unit: | 9)Res. Type: | 10)Resp. Center: | Br | ooks Ra | nd ha | olete all ded areas. | 16 Analys | Required | \rangle | d 245 1 | , c. | | >' | Hg 1631, V_BRand Carbonate alkalinity, bicarbonate alkalinity, alkalinity, total (4.5), pH - | Sulfate, Dionex | Nittrate-nitrite, C_NO3/NO2 | | | |
| LAB USE ONLY Se Speciation B | ottle | | PC |)#1413 <u>9</u> | 91 | | | i | | Hg - 245.1 Hn Dissolved | Metals* | Se, soluble | Se, Speciation, | Hg 1631, V_BRand Carbonate alkalinity, bicarbonate alkalinity, alkalinity, total (4.5), p. | Chloride, Sulfate, Bromide - Dionex | rate-nitrite, | | (| 797 |
| 11Lab ID ID | | escription or ID | Date | Time | s | ignature / | 17Comp. | 18 Grab | Ĕ: | 운 도 | ∑ gel | Se, | Se, | 호 등 등 등 | 길을 | Ę | | | ۲ |
| 01033619 | FGD | Purge Eff | 10/13 | 10:30 | Mus | Thut | - | | 1 | 1 1 | 1 | 1 | 1 | 1 | 1 | 1 | | - | |
| D11032620 \$ | BioRe | actor 1 Inf | 10/13 | 10:30 | 100 | w This | | | | 1 | 1 | | 1 | 1 1 | 1 | 1 | | + | _ |
| XID312631 2 2 | | or 1 Inf Hg Blk | 10.15 | 10:30 | 14 and | cs /w- | | | | - | | | + | 1 | | + | ++ | \dashv | |
| XIO93622 5 | BioRe | actor 2 Eff | 10/13 | 10:30 | Tra | i. That | | | | 1 | 1 | | 1 | 1 1 | 1 | 1 | | | |
|)(109A693) 📲 | BioReacto | or 2 Eff Hg Blk | | | | | | | | | | | | 1 | | | | | |
| | | | | | | | | | _ | | - | | - | | ļ | - | \bot | | |
| XICO0604 8 | Fi | lter Blk | | | | | | | - | _ | | 1 | _ | | <u> </u> | | +- | + | |
| 71103310351 8 | Meta | ls Trip Blk | | | | | | | $\neg \dagger$ | | 1 | | 1 | | - | - | | + | _ |
|)1109a(0)(| Filter cal | | 10/13 | 10:30 | Trui | Thut | | 4 | | | | | | | - | _ | | | _ |
| 95 | added to a bl | ank COC per TN | J | | | | | | | | | | _ | | | | | | |
| Customer to sign & | date below - fill out from left to | right. | | | <u> </u> | | | | | | | | | | <u> </u> | | | | |
| 3) Relinquished By March Color | Date/Tim 0//3 Date/Tim | 11 10:30 | 2) Accepted B | olho | (0)- [] | Laur | 19 | Date/7 -/ /2 -/ Date/1 | | 091 | Ω | | around, | | equest | | urnaro | und | |
| 5)Relinquished By 7)Relinquished By | Date/Fin | 11 1300 | 6)Accepted/By 8)Accepted By | | , | | | Date/1 | ime | <i>(/</i>) | | ORTAN. | red turns | | 7 Days | | | | |
| 9)Spall/coked By Aurion 44)Spall/coked By | Datg/Tim | 11 1300 | f favi 10) Seal/Lock | Opened By | Ork | - (0 |), | Date/I | | SD | 5 | omer IME | e indicate desired turnaro | *Other_ | 48 Hr_ Add. C | ost W | /ill Apply | - | |
| Redunquedo las Jano | Mar 1578-71 | 1610 | | - 6 | | | O 6 | Date/1 | | (ع)ا | 0 | و ا | Please indicate | / | 0 - | 3 | 4-1 | 1 | |
| wetals=[RM/I | MS = As, Cd, Cr, Cu, | Ni, Se, Ag, Zn TRM/ | ICP = B, (| Ca, K, Li | Mg, N | a, | | | | | | | ă | | | | | 0 | • |

1100460

Page 8 of 8



18804 Northcreek Parkway Bothell, WA, 98011 Tel: (425) 483-3300 Fax: (425) 483-9818 www.appliedspeciation.com

October 25, 2011

Jay Perkins Duke Energy Analytical Laboratory Mail Code MGO3A2 (Building 7405) 13339 Hagers Ferry Rd. Huntersville, NC 28078 (704) 875-5245

Project: HAPS/MACT Testing Belews Creek (LIMS # J11100274)

Dear Mr. Perkins,

Attached is the report associated with four (4) aqueous samples submitted for selenium speciation analysis on October 17, 2011. The samples were received on October 18, 2011 in a sealed cooler at -0.3°C. Selenium speciation analysis was performed via ion chromatography inductively coupled plasma dynamic reaction cell mass spectrometry (IC-ICP-DRC-MS). Any issues associated with the analysis are addressed in the following report.

If you have any questions, please feel free to contact me at your convenience.

Sincerely,

Ben Wozniak Project Manager

Ben Wozniek

Applied Speciation and Consulting, LLC

Applied Speciation and Consulting, LLC

Report prepared for:

Jay Perkins
Duke Energy Analytical Laboratory
Mail Code MGO3A2 (Building 7405)
13339 Hagers Ferry Rd.
Huntersville, NC 28078

Project: HAPS/MACT Testing Belews Creek (LIMS # J11100274)

October 25, 2011

1. Sample Reception

Four (4) aqueous samples in 125mL HDPE bottles (provided by Applied Speciation and Consulting) were submitted for selenium speciation analysis on October 17, 2011. The samples were received on October 18, 2011 in a sealed container at -0.3°C.

The samples were received in a laminar flow clean hood void of trace metals contamination and ultra-violet radiation. Upon reception, the samples were designated discrete sample identifiers. An aliquot of each sample was filtered (0.45µm) and these filtrates were stored in a secure, monitored cryofreezer (maintained at a temperature of -80°C) until selenium speciation analysis could be performed via ion chromatography inductively coupled plasma dynamic reaction cell mass spectrometry (IC-ICP-DRC-MS).

2. Sample Preparation

All sample preparation is performed in laminar flow clean hoods known to be free from trace metals contamination. All applied water for dilutions and sample preservatives are monitored for contamination to account for any biases associated with the sample results.

<u>Selenium Speciation Analysis by IC-ICP-DRC-MS</u> Prior to analysis, an aliquot of each sample was filtered with a syringe filter (0.45µm) and injected directly into a sealed autosampler vial. No further sample preparation was performed as any chemical alteration of the samples may shift the equilibrium of the system resulting in changes in speciation ratios.

3. Sample Analysis

All sample analysis is preceded by a minimum of a five-point calibration curve spanning the entire concentration range of interest. Calibration curves are performed at the beginning of

each analytical day. All calibration curves, associated with each species of interest, are standardized by linear regression resulting in a response factor. All sample results are **instrument blank corrected** to account for any operational biases associated with the analytical platform.

Prior to sample analysis, all calibration curves are verified using second source standards which are identified as initial calibration verification standards (ICV).

Ongoing instrument performance is identified by the analysis of continuing calibration verification standards (CCV) and continuing calibration blanks (CCB) at a minimal interval of every ten analytical runs.

Selenium Speciation Analysis by IC-ICP-DRC-MS All samples for selenium speciation analysis were analyzed by ion chromatography inductively coupled plasma dynamic reaction cell mass spectrometry (IC-ICP-DRC-MS) on October 19-20, 2011. An aliquot of each sample is injected onto an anion exchange column and mobilized by a basic (pH > 7) gradient. The eluting selenium species are then introduced into a radio frequency (RF) plasma where energy-transfer processes cause desolvation, atomization, and ionization. The ions are extracted from the plasma through a differentially-pumped vacuum interface and travel through a pressurized chamber (DRC) containing a specific reactive gas which preferentially reacts with interfering ions of the same target mass to charge ratios (m/z). A solid-state detector detects ions transmitted through the mass analyzer and the resulting current is processed by a data handling system.

Retention times for each eluting species are compared to known standards for species identification.

4. Analytical Issues

The overall analyses went well and no significant analytical issues were encountered. All quality control parameters associated with these samples were within acceptance limits.

The estimated method detection limits (eMDLs) for selenite, selenate, and selenocyanate are generated from replicate analyses of the lowest standard in the calibration curve. Not all selenium species are present in preparation blanks; therefore, eMDL calculations based on preparation blanks are artificially biased low.

The eMDL for methylseleninic acid and selenomethionine is calculated from the average eMDL of selenite, selenate, and selenocyanate. The calibration does not contain methylseleninic acid or selenomethionine due to impurities in these standards which would bias the results for other selenium species.

If you have any questions or concerns regarding this report, please feel free to contact me.

Sincerely,

Ben Wozniak

Project Manager

Applied Speciation and Consulting, LLC

Ben Wozniek

Selenium Speciation Results for Duke Energy Project Name: HAPS/MACT Testing Belews Creek Contact: Jay Perkins LIMS #J11100274

Date: October 25, 2011
Report Generated by: Ben Wozniak
Applied Speciation and Consulting, LLC

Sample Results

| | | | | | | Unknown Se |
|------------------|------------|------------|------------|------------|------------|-------------|
| Sample ID | Se(IV) | Se(VI) | SeCN | MeSe(IV) | SeMe | Species (n) |
| FGD Purge Eff | 14.7 | 1340 | ND (<3.2) | ND (<2.6) | ND (<2.6) | 0 (0) |
| BioReactor 1 Inf | 18.5 | 1110 | ND (<0.80) | ND (<0.64) | ND (<0.64) | 0 (0) |
| BioReactor 2 Eff | 3.10 | ND (<0.61) | ND (<0.80) | ND (<0.64) | ND (<0.64) | 0 (0) |
| Metals Trip Blk | ND (<0.10) | ND (<0.12) | ND (<0.16) | ND (<0.13) | ND (<0.13) | 0 (0) |

All results reflect the applied dilution and are reported in µg/L

ND = Not detected at the applied dilution

SeCN = Selenocyanate

MeSe(IV) = Methylseleninic acid

SeMe = Selenomethionine

Unknown Se Species = Total concentration of all unknown Se species observed by IC-ICP-MS

n = number of unknown Se species observed

Selenium Speciation Results for Duke Energy Project Name: HAPS/MACT Testing Belews Creek Contact: Jay Perkins LIMS #J11100274

Date: October 25, 2011
Report Generated by: Ben Wozniak
Applied Speciation and Consulting, LLC

Quality Control Summary - Preparation Blank Summary

| Analyte (µg/L) | PBW1 | PBW2 | PBW3 | PBW4 | Mean | StdDev | eMDL* | eMDL 10x | eMDL 50x | eMDL 200x |
|----------------|-------|-------|-------|-------|-------|--------|-------|----------|----------|-----------|
| Se(IV) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.010 | 0.10 | 0.51 | 2.0 |
| Se(VI) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.012 | 0.12 | 0.61 | 2.4 |
| SeCN | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.016 | 0.16 | 0.80 | 3.2 |
| MeSe(IV) | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.013 | 0.13 | 0.64 | 2.6 |
| SeMe | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.013 | 0.13 | 0.64 | 2.6 |

eMDL = Estimated Method Detection Limit

Quality Control Summary - Certified Reference Materials

| Analyte (µg/L) | CRM | True Value | Result | Recovery |
|----------------|-----|------------|--------|----------|
| Se(IV) | LCS | 9.57 | 10.64 | 111.2 |
| Se(VI) | LCS | 9.48 | 10.48 | 110.5 |
| SeCN | LCS | 8.92 | 9.449 | 105.9 |
| MeSe(IV) | LCS | 6.47 | 6.739 | 104.2 |
| SeMe | LCS | 9.32 | 10.25 | 110.0 |

^{*}Please see narrative regarding eMDL calculations

Selenium Speciation Results for Duke Energy Project Name: HAPS/MACT Testing Belews Creek Contact: Jay Perkins LIMS #J11100274

Date: October 25, 2011
Report Generated by: Ben Wozniak
Applied Speciation and Consulting, LLC

Quality Control Summary - Matrix Duplicates

| Analyte (µg/L) | Sample ID | Rep 1 | Rep 2 | Mean | RPD |
|----------------|------------------|------------|------------|------|------|
| Se(IV) | BioReactor 2 Eff | 3.10 | 2.61 | 2.9 | 17.1 |
| Se(VI) | BioReactor 2 Eff | ND (<0.61) | ND (<0.61) | NC | NC |
| SeCN | BioReactor 2 Eff | ND (<0.80) | ND (<0.80) | NC | NC |
| MeSe(IV) | BioReactor 2 Eff | ND (<0.64) | ND (<0.64) | NC | NC |
| SeMe | BioReactor 2 Eff | ND (<0.64) | ND (<0.64) | NC | NC |

ND = Not detected at the applied dilution

NC = Value was not calculated due to one or more concentrations below the eMDL

Quality Control Summary - Matrix Spike/ Matrix Spike Duplicate

| Analyte (µg/L) | Sample ID | Spike Conc | MS Result | Recovery | Spike Conc | MSD Result | Recovery | RPD |
|----------------|------------------|------------|-----------|----------|------------|------------|----------|-----|
| Se(IV) | BioReactor 2 Eff | 278.0 | 291.6 | 103.8 | 278.0 | 289.0 | 102.9 | 0.9 |
| Se(VI) | BioReactor 2 Eff | 252.3 | 266.4 | 105.6 | 252.3 | 263.3 | 104.4 | 1.2 |
| SeCN | BioReactor 2 Eff | 228.8 | 234.4 | 102.5 | 228.8 | 235.4 | 102.9 | 0.4 |

| | uko | Duke Energy Ar | CUSTODY R | | | THE RESERVE OF THE PARTY OF THE | ytical I | T. C. S. S. S. S. S. | 3 - 7 - 7 | | *** | | | | | Pa | ge 24 | | | | |
|--|---------------------------------|--|--|--|--|--|--------------------------------|----------------------|-------------------------------------|--------|--------------------------------|--------------------------|-------------|-------------------------------------|----------|--|------------------------|-----------------------------|----------|-------------|------|
| TO EN | uke iergy _{::} | Mail Code MGC 13339 Ha Huntersvil (704 | 03A2 (Building 7405) agers Ferry Rd le, N. C. 28078 0875-5245 | LONG # | 00a | 7 A Matri Date & Time | ∞ ОТ | HER | | | Sampl Origin From SAM | | | NC | | round Water | OR | STR IGIN | ge 1 o | ION LAB, | |
| 1)Project Name | | MACT Testing | 04) 875-4349 2)Phone No: | | | | | | | | | ing W | | | NPDI | | Pas | je! | of. | , 4 | |
| 2) Client: | Bill Kennedy, R Wayne Chapma | ews Creek on Laws, Allen Stowe , Melonie Martin, To | e, 4)Fax No: | | USM 0#14472 | 25 | 15Prese 2=H ₂ SO | 4 3=H | HCL NO _B | > | | | Wa | ste | None | | i ' ' | Ĺ | П | \top | T |
| 6)Business Unit: | | ohnson 6)Process: | Mail Code: | 1000000 | S&C | | 4=Ice | 10 | N | 4 | 3 | 3 3 | 3 | 408 | ž | 4 | 4 | 2,4 | \vdash | | |
| 8)Oper. Unit: | | 9)Res. Type: | 10)Resp. Center: | | 0#1332 ooks Ra | mplete | | 16 Analyses | Required | | | 745.1 | | V_A | V_BRand | alkalinity, alkalinity, tal (4.5), pH | of × | Nittrate-nitrite, C_NO3/NO2 | | | |
| LAB USE ONLY | | | | | 0#1413 | naded a | reas. | 16 | œ | TSS | 5.1 | olved, | able | Speciation, | 765 | Carbonate alkalinity, icarbonate alkalinity, kalinity, total (4.5), p Prism | Sulfate, - Dionex | itrite, C_ | | | |
| ¹¹ Lab ID | Se Speciation Bo | | Description or ID | Date | Time | Signatu | | 17Comp. | 18 Grab | TDS, T | Hg - 245.1 | Hg Dissolved, Metals* | Se, soluble | Se, Spe | Hg 1631, | Carbonate abicarbonate alkalinity, tot | Chloride, Bromide - | Vittrate-n | | | Tall |
| 011032619 | | or control of the con | D Purge Eff | 10/13 | 10:30 | They / | m | | 31201 | 1 | | 1 1 | 1 | 1 | | 1 | 1 | 1 | | T | Ť |
| 360500.0- | 10 | | | | | | <i></i> | | | | | | | 1 | | | | | | | |
| 2011022620 | o o o | | Reactor 1 Inf | 10/13 | 10:30 | Iran o | Ins | | SE. | | 1 | 1 | No. | 1 | 1 | 1 | 1 | 1 | | | |
| 1601632631 1011632622 | Sums | | actor 1 Inf Hg Blk | 10.0 | | | 1 1 | | - | - | - | + | 1 | | 1 | | | 1 | | 1 | _ |
| 011022623 | 000 | | Reactor 2 Eff actor 2 Eff Hg Blk | 10/15 | 10:30 | Trave | hat | | 7.17×19 | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | \vdash | _ | + |
| CTICS/S/USIS | propriate | Diorice | ictor 2 Ell Fig Bik | | | | | | | | | | 1 | Ì | 1 | | | | | | |
| 0100000 | olete ap | | Filter Blk | | en e | | Hallow A. B. | | | | 100 | | 1 | | | | | | | - | + |
| VII (2) 3(2) 5 | Com | M | etals Trip Blk | THE PARTY OF THE P | | | ess Carrie | episus | 1000 | | Single | 1 | | 1 | | | | | | + | + |
| 2011022626 | tomer to | Filter C | ake TCLP | 10/13 | 10:30 | Tout | lands | | * | | | | - | | | | | | | 1 | 1 |
| | Customer to sign & | date below - fill out from lef | t to right | | | | | | | | | | | | | | | | | \pm | |
| 1) Relinquished By 3) Relinquished By | Thurnten | Date (0)// Date | Time 10:30 | Joseph B | wer w | : C/- - L/X | evs | 10- | Date/T 7 -/ Date/T 0 | 7 | 69 1 | eo 055 | | TANT! | | | quest | | urnar | ound | |
| 5)Relinquished By 7)Relinquished By | Daw | 101 | (Time) (7) 11 1300 (Time | 6)Accepted/By | | | | | Date/T | | | | | desired turnar | | *7 | Days _ | | | | |
| 9)Seal/Locked By | aus | 101 | Time / 1300 | 10) Seal/Lock | ppened By | nac roll | 8/119 | | Tos Date/T | ime | ** |),3° | | Customer, IM Please indicate des | | *Other | 48 Hr Add. Co | ost W | 'ill App | | |



October 26, 2011

Duke Energy
ATTN: Jay Perkins
Scientific Support-Laboratory
13339 Hagers Ferry Road
Huntersville NC 28078
jcperkins@duke-energy.com
labcustomer@duke-energy.com

RE: Project DUK-HV1101 Client Project: J11100274

Dear Mr. Perkins,

On October 18, 2011, Brooks Rand Labs (BRL) received two (2) flue gas desulfurization (FGD) wastewater samples and two (2) corresponding blank samples. Samples were logged-in for total mercury (Hg) analysis. All samples were received, prepared, analyzed, and stored according to BRL SOPs and EPA methodology.

The results were blank-corrected as described in the calculations section of the applicable SOP(s) and may be evaluated using adjusted reporting limits to account for sample aliquot size. Please refer to the *Sample Results* page for sample-specific detection limits and other details.

BRL, an accredited laboratory, certifies the reported results of all analyses for which BRL is NELAP accredited meet all NELAP requirements. For more details, see the *Report Information* page of the report.

Please feel free to contact me if you have any questions regarding this report.

tilwate

Sincerely,

Tiffany Stilwater Project Manager

tiffany@brooksran.com



Page 26 of 32 Client PM: Jay Perkins Client PO: 141391

Report Information

Laboratory Accreditation

BRL is accredited by the *National Environmental Laboratory Accreditation Program* (NELAP) through the State of Florida Department of Health, Bureau of Laboratories (E87982) and is certified to perform many environmental analyses. BRL is also certified by many other states to perform environmental analyses. For a current list of our accreditations/certifications, please visit our website at http://www.brooksrand.com/default.asp?contentID=586. Results reported relate only to the samples listed in the report.

Field Quality Control Samples

Please be notified that certain EPA methods require the collection of field quality control samples of an appropriate type and frequency; failure to do so is considered a deviation from some methods and for compliance purposes should only be done with the approval of regulatory authorities. Please see the specific EPA methods for details regarding required field quality control samples.

Common Abbreviations

| BLK | method blank | MS | matrix spike |
|-----|-------------------------------------|-----|------------------------------------|
| BRL | Brooks Rand Labs | MSD | matrix spike duplicate |
| BS | laboratory fortified blank | ND | non-detect |
| CAL | calibration standard | NR | non-reportable |
| CCV | continuing calibration verification | PS | post preparation spike |
| COC | chain of custody record | REC | percent recovery |
| CRM | certified reference material | RPD | relative percent difference |
| D | dissolved fraction | RSD | relative standard deviation |
| DUP | duplicate | SCV | secondary calibration verification |
| ICV | initial calibration verification | SOP | standard operating procedure |
| MDL | method detection limit | SRM | standard reference material |
| MRL | method reporting limit | T | total recoverable fraction |

Definition of Data Qualifiers

(Effective 9/23/09)

- B Detected by the instrument, the result is > the MDL but ≤ the MRL. Result is reported and considered an estimate.
- **E** An estimated value due to the presence of interferences. A full explanation is presented in the narrative.
- **H** Holding time and/or preservation requirements not met. Result is estimated.
- **J** Estimated value. A full explanation is presented in the narrative.
- J-M Duplicate precision (RPD) for associated QC sample was not within acceptance criteria. Result is estimated.
- J-N Spike recovery for associated QC sample was not within acceptance criteria. Result is estimated.
- M Duplicate precision (RPD) was not within acceptance criteria. Result is estimated.
- N Spike recovery was not within acceptance criteria. Result is estimated.
- **R** Rejected, unusable value. A full explanation is presented in the narrative.
- **U** Result is ≤ the MDL or client requested reporting limit (CRRL). Result reported as the MDL or CRRL.
- **X** Result is not BLK-corrected and is within 10x the absolute value of the highest detectable BLK in the batch. Result is estimated.

These qualifiers are based on those previously utilized by Brooks Rand, Ltd., those found in the EPA <u>SOW ILM03.0</u>, Exhibit B, Section III, pg. B-18, and the <u>USEPA Laboratory Data Validation Functional Guidelines for Evaluating Inorganic Analyses; USEPA; July 2002. These supersede all previous qualifiers ever employed by BRL.</u>

Project ID: DUK-HV1101 **PM:** Tiffany Stilwater



Page 27 of 32 Client PM: Jay Perkins Client PO: 141391

Sample Information

| Sample | Lab ID Report Matrix | | Type | Sampled | Received |
|-------------------------|----------------------|----------|-------------|------------|------------|
| BioReactor 1 Inf | 1143014-01 | Influent | Sample | 10/13/2011 | 10/18/2011 |
| BioReactor 1 Inf Hg Blk | 1143014-02 | DIW | Field Blank | 10/13/2011 | 10/18/2011 |
| BioReactor 2 Eff | 1143014-03 | Effluent | Sample | 10/13/2011 | 10/18/2011 |
| BioReactor 2 Eff Hg Blk | 1143014-04 | DIW | Field Blank | 10/13/2011 | 10/18/2011 |

Batch Summary

| Analyte | Lab Matrix | Method | Prepared | Analyzed | Batch | Sequence |
|---------|------------|----------|------------|------------|---------|----------|
| Hg | Water | EPA 1631 | 10/21/2011 | 10/25/2011 | B111723 | 1100738 |

Sample Results

| Sample | Analyte | Report Matrix | Fraction | Result | Qualifier | MDL | MRL | Unit | Batch | Sequence |
|---------------------------------------|-----------------------|---------------|----------|--------|-----------|------|------|------|---------|----------|
| BioReactor 1 Int 1143014-01 | f Hg | Influent | Т | 436 | | 75.8 | 202 | ng/L | B111723 | 1100738 |
| BioReactor 1 Int 1143014-02 | f Hg Blk Hg | DIW | Т | 0.15 | U | 0.15 | 0.41 | ng/L | B111723 | 1100738 |
| BioReactor 2 Ef 1143014-03 | f Hg | Effluent | Т | 44400 | | 76.5 | 204 | ng/L | B111723 | 1100738 |
| BioReactor 2 Ef 1143014-04 | f Hg Blk Hg | DIW | Т | 0.15 | U | 0.15 | 0.40 | ng/L | B111723 | 1100738 |



Page 28 of 32 Client PM: Jay Perkins Client PO: 141391

Accuracy & Precision Summary

Batch: B111723 Lab Matrix: Water Method: EPA 1631

| Sample B111723-SRM1 | Analyte Certified Reference Materia | Native al (1140052 | Spike | Result | Units | REC & Limits | RPD & Limits |
|------------------------|--|-----------------------|-------|--------|-------|--------------|--------------|
| | Hg | (| 15.68 | 14.44 | ng/L | 92% 85-115 | |
| B111723-MS2 | Matrix Spike (1143014-01) Hg | 436.0 | 2020 | 2506 | ng/L | 102% 71-125 | |
| B111723-MSD2 | Matrix Spike Duplicate (114 Hg | 436.0 | 2020 | 2473 | ng/L | 101% 71-125 | 1% 24 |

Method Blanks & Reporting Limits

Batch: B111723 Matrix: Water Method: EPA 1631 Analyte: Hg

| Sample | Result | Units |
|--------------|--------|-------|
| B111723-BLK1 | 0.04 | ng/L |
| B111723-BLK2 | 0.0008 | ng/L |
| B111723-BLK3 | 0.05 | ng/L |
| B111723-BLK4 | 0.02 | ng/L |

 Average: 0.03
 Standard Deviation: 0.02
 MDL: 0.15

 Limit: 0.50
 Limit: 0.10
 MRL: 0.41

Project ID: DUK-HV1101 PM: Tiffany Stilwater



Page 29 of 32 Client PM: Jay Perkins **Client PO: 141391**

Instrument Calibration

Sequence: 1100738 **Total Mercury and Mercury Speciation by CVAFS** Instrument: THG-05

Method: EPA 1631

Date: 10/25/2011 Analyte: Hg

| Lab ID | True Value | Result | Units | REC | C & Limits |
|--------------|------------|--------|----------|------|------------|
| 1100738-IBL1 | | 8.42 | pg of Hg | | |
| 1100738-IBL2 | | 8.90 | pg of Hg | | |
| 1100738-IBL3 | | 7.23 | pg of Hg | | |
| 1100738-IBL4 | | 8.50 | pg of Hg | | |
| 1100738-CAL1 | 25.00 | 24.03 | pg of Hg | 96% | |
| 1100738-CAL2 | 100.0 | 99.48 | pg of Hg | 99% | |
| 1100738-CAL3 | 500.0 | 511.0 | pg of Hg | 102% | |
| 1100738-CAL4 | 2500 | 2549 | pg of Hg | 102% | |
| 1100738-CAL5 | 10000 | 10050 | pg of Hg | 100% | |
| 1100738-ICV1 | 1568 | 1444 | pg of Hg | 92% | 85-115 |
| 1100738-CCB1 | | 12.1 | pg of Hg | | |
| 1100738-CCV1 | 500.0 | 514.6 | pg of Hg | 103% | 77-123 |
| 1100738-CCB2 | | 8.55 | pg of Hg | | |
| 1100738-CCV2 | 500.0 | 497.9 | pg of Hg | 100% | 77-123 |
| 1100738-CCB3 | | 37.1 | pg of Hg | | |
| 1100738-CCV3 | 500.0 | 512.1 | pg of Hg | 102% | 77-123 |

Project ID: DUK-HV1101 **PM:** Tiffany Stilwater



Page 30 of 32 Client PM: Jay Perkins Client PO: 141391

Sample Containers

Lab ID: 1143014-01 Report Matrix: Influent Collected: 10/13/2011 Sample: BioReactor 1 Inf Received: 10/18/2011 Sample Type: Sample Des Container **Size** Lot **Preservation** P-Lot Ship. Cont. Bottle FLPE Hg-T 250mL 71443390 none n/a Cooler 30 **Lab ID**: 1143014-02 Collected: 10/13/2011 Report Matrix: DIW Sample: BioReactor 1 Inf Hg Blk Sample Type: Field Blank Received: 10/18/2011 Des Container **Size** Lot **Preservation** P-Lot pН Ship. Cont. Bottle FLPE Hg-T 250mL 71443390 none n/a Cooler 30 Lab ID: 1143014-03 Collected: 10/13/2011 Report Matrix: Effluent Sample: BioReactor 2 Eff Sample Type: Sample Received: 10/18/2011 Des Container Size Preservation P-Lot Ship. Cont. Lot pН Bottle FLPE Hg-T 250mL 71443390 none Cooler n/a 30 Lab ID: 1143014-04 Report Matrix: DIW Collected: 10/13/2011 Sample: BioReactor 2 Eff Hg Blk Received: 10/18/2011 Sample Type: Field Blank Container Size Lot **Preservation** P-Lot Hq Ship. Cont.

Shipping Containers

Cooler

Received: October 18, 2011 9:00 **Tracking No:** 4726 7966 4935 via FedEx

Coolant Type: Ice Temperature: 2.9 °C

Bottle FLPE Hq-T

250mL

71443390

30

Description: Cooler
Damaged in transit? No
Returned to client? No

none

n/a

Custody seals present? No Custody seals intact? No COC present? Yes

Cooler

* Metals=TRM/IMS = As, Cd, Cr, Cu, Ni, Se, Ag, Zn TRM/ICP = B, Ca, K, Li, Mg, Na,

Comments

| n- | ·ka | Duke Energy Ana | | LIMS# | | | alytical | The second second | | | THE RESERVE AND PARTY. | The Person Name of Street, or other Designation of the Person of the Per | | | | | Page 3 | | | 2 | | | | |
|----------------------------|-----------------------------------|--|---------------------------------------|-----------------------------|---------------|-----------|---|-------------------|-------------------------|------------|------------------------|--|-------------|--|----------------------------------|---|------------------------|-----------------------------|-------|--|--|--|--|--|
| Energy _M | | Mail Code MGO3A 13339 Hage Huntersville, (704) 8: Fax: (704) | rs Ferry Rd N. C. 28078 75-5245 | Date & Time Date & Time | | | | | | 7/11 1305 | | | | Samples NC Originating SC SC SAMPLE PROGRAM Ground Water NPDES | | | | | | 19Page 1 of 2 DISTRIBUTION ORIGINAL to LAB, COPY to CLIENT | | | | |
|)Project Name | | IACT Testing ws Creek | 2)Phone No: | PI | RISM | | | | | | Drin | king W | | ste | | UST RCRA | | | | | | | | |
| | Bill Kennedy, Ro Vayne Chapman | on Laws, Allen Stowe, , Melonie Martin, Tom ohnson | 4)Fax No: | | D#14472 | 25 | 15Press 2=H ₂ SC 4=Ice | 04 3= | HCL HNO ₃ | 14.0 | 3 | 3 3 | | 4 | None | 4 | 4 | 2,4 | | | | | | |
| Business Unit: | | 6)Process: | Mail Code: | | S&C O#1332 | 41 | | | N | | | | 1 | ASC | | ÷ | | | | | | | | |
| Oper. Unit: | | 9)Res. Type: | 10)Resp. Center: | Br | ooks Ra | mplete | | 16 Analyse | Required | | | ed, 245.1 | | > | V_BRand | ate alkalinity, ate alkalinity, total (4.5), pH | Sulfate, - Dionex | Nittrate-nitrite, C_NO3/NO2 | | | | | | |
| AB USE ONLY | | | | PC | D#14139 | 91 | | 188 | | 245.1 | * solve | luble | Speciation, | | nate a nate a y, tota m | e, Sul | nitrite, | | | | | | | |
| 11Lab ID | Se Speciation Bot | | escription or ID | Date | Time | Signat | ure / | 17Comp. | 18 Grab | CO | Hg - 24 | Hg Dissolved, Metals* | Se, soluble | Se, Sp | Hg 1631, | Carbonate bicarbonate alkalinity, tot | Chloride, Bromide - | Nittrate- | | | | | | |
| PIDSSOIL | | | Purge Eff | 10/13 | | This | Thus | | | 1 | | 1 1 | 1 | 1 | | 1 | 1 | 1 | | | | | | |
| 11022620 \$ | | BioRe | eactor 1 Inf | 10/13 | 10:30 | Train co- | This | | | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | | | | | | |
| 1108/26/21 2 | | BioReact | or 1 Inf Hg Blk | | | | | | | | | | | | 1 | | | | | | | | | |
| 10000000 | | | actor 2 Eff | 10/13 | 10:30 | Trave | That | | | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | | | | | | |
| 1093633 | | BioReact | or 2 Eff Hg Blk | | | | | | | | | | | | 1 | | | | | | | | | |
| 1099694 | | Fi | Iter Blk | | | | | | | | | | 1 | | | | | | | | | | | |
| 11033625 8 | | Meta | ls Trip Blk | | | | | | | | | 1 | | 1 | | | | | | | | | | |
| 11023626 E | | Filter ca | | | 10:30 | This | That | | 1 | | | | | | | | | | | | | | | |
| Custo | | 8.4 10/11/11 | lank COC per TW | | | | | | | | | | | | | | | | | | | | | |
| Reliperuished By | Customer to sign & da | ate below - fill out from left to Date/Tin | right. | 2) Accepted B | <u> </u> | ****** | | | Date/F | line a 1 · | | | | | | | | | | | | | | |
| Relinquished By | hornten | 10113/ | 11 10:30 | N | Wyn 6 | C/- | - | 10 - | 17-1 | , | 09 | 90 | | nud. | | ²² Rec | queste | d Tu | narou | ind | | | | |
| Na C f | <u></u> | Date/Fire | 10/. | Accepted By | | LX | recy | | Date/T // Date/T | 17/1 | 1 1 | 055 | | Customer, IMPORTANT! e indicate desired turnarol | | | Days _ | | | - | | | | |
| Relinquished By | Daws. | / O/17/ Datg/Tin | (11 1300 | 3)Accepted By | 20 | 1 | | | Date/T | ime | | | | POR ired t | | | Days | | | - | | | | |
| Spal/Locked By | u.L | 10/18 Date/Tim | io / . ; | 10) Seal/Lock | Opened By | one | /(|) / | Bate/T | // | 52 | 7 | | er, IN | | | 8 Hr | | | | | | | |
| Seal/Locked By | wo | 10/17 Date/Tim | 111 1300 | 12)Seal/Lock C | | | | | Date/Ti | | | | | stom. ndicat | | *OtherA | dd. Cos | st Will | Apply | 1 | | | | |